

Directions for Using Silver Remover

AngelGilding.com

Removing Silver:

This product will only remove silver, not copper or other metals. It does this chemically, without using any abrasives or heat. It can be applied on top of a fresh silver layer or old silver but the surface must be relatively clean before applying it.

How To Use:

Dissolve or remove any greasy or oily surface coatings first. The remover is water-based and must be able to attack the silver.

Pour out equal volumes of the two solutions, "A" and "B" into a separate water-proof container such as a small plastic or paper cup. Only pour as much as you can use in an hour. The mixture decays rapidly while the individual solutions have a long shelf-life.

While wearing rubber gloves, dip a Q-tip, medicine-dropper, cotton ball or sponge (depending on the volume) into the mixture and dab it onto the silver to be removed. No rubbing is necessary as the mixture will dissolve the silver by itself. It will start working within a few seconds and will stop when all of the silver has been dissolved or when the mixture is exhausted.

The residue of this process contains silver and so must be disposed of according to local regulations.

Caution:

If there are areas of silver that you do not want to remove, protect them first with paint and allow the paint to dry completely before removing the adjacent silver.

First Aid:

If material gets into the eyes, hold the eyelid apart and flush eyes with plenty of water for at least fifteen minutes.

If material gets onto the skin, wash with soap and water.

If inhaled, remove to fresh air.

If ingested, give 2 glasses of water and induce vomiting. Call a physician.

Warning:

The separate solutions and the mixture are intended for dissolving silver and NO OTHER PURPOSE. While they are not in themselves poisonous, mixing them with other chemicals may make them so. Spills should be washed off with lots of water and washed down the drain. Treat all unknown chemicals or mixtures as dangerous, just in case.

For Further information, see MSDS for items C1015 and C1016 or call (708) 383-3340

4/18/2007