

SILVER SOLUTION CONCENTRATE MSDS

Label Content Code = C1145

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: AngelGilding.com
619 Clarence Ave.
Oak Park IL 60604 USA
24-hour Emergency Phone: 708-383-3340
Product Name: Silver Solution Concentrate – C1145

Section 2: INGREDIENT INFORMATION

Synonyms	C.A.S.	Formula:	Formula Weight:	Percent
SILVER(I) nitrate	7761-88-8	AgNO ₃	169.87	17
Lunar caustic				
Ammonia	1336-21-6	NH ₃ (aq.)	35.05	9

Section 3: HAZARD IDENTIFICATION

Emergency Overview:

POISON! DANGER! CORROSIVE. MAY BE FATAL IF SWALLOWED OR INHALED. STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE.

SAF-T-DATA Ratings

Health Rating: 3 - Severe (Poison)
Flammability Rating: 0
Reactivity Rating: 3 - Severe (Oxidizer)
Contact Rating: 4 - Extreme (Corrosive)
Protective Equipment: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES
Storage Color Code: White Stripe (Store Separately)

Potential Health Effects:

Inhalation:

Extremely destructive to tissues of the mucous membranes and upper respiratory tract. Symptoms may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. May be absorbed into the body following inhalation with symptoms paralleling those from ingestion exposure.

Ingestion:

Corrosive. Swallowing can cause severe burns of the mouth, throat, and stomach. Can cause sore throat, vomiting, diarrhea. Poison. Symptoms include pain and burning in the mouth, blackening of the skin and mucous membranes, throat, and abdomen, salivation, vomiting of black material, diarrhea, collapse, shock, coma and death.

Skin Contact:

Corrosive. Symptoms of redness, pain, and severe burn can occur.

Eye Contact:

Corrosive. Can cause blurred vision, redness, pain, severe tissue burns and eye damage.

Chronic Exposure:

Repeated application or ingestion causes a permanent bluish discoloration of the skin, conjunctiva, and mucous membranes. Repeated inhalation may cause lung disease.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance.

Section 4: FIRST AID MEASURES

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion:

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately

Section 5: FIRE FIGHTING MEASURES

Fire:

Autoignition temperature: 651 C. This oxidizing material can increase the flammability of adjacent combustible materials..

Explosion:

Many reactions may cause explosion. Sensitive to mechanical shock.

Fire Extinguishing Media:

Use flooding amounts of water. Do not use dry chemical, carbon dioxide or Halon. Do not allow water runoff to enter sewers or waterways.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Section 6: ACCIDENTAL RELEASE MEASURES

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Section 7: HANDLING AND STORAGE

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage and moisture. Isolate from any source of heat or ignition. Avoid storage on wood floors. Separate from incompatibles, combustibles, organic or other readily oxidizable materials. Protect from light. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Airborne Exposure Limits:

OSHA PEL: Ammonia -- 500 ppm

ACGIH TLV: - Silver : 0.05 mg /m³ (TWA) for soluble silver compounds as Ag
Ammonia 250 ppm (NH₃) (TWA) 350 ppm (STEL)

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a full facepiece particulate respirator (NIOSH type N100 filters) may be worn for up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless solution
Odor:	Ammonia
Solubility in water:	Complete
Density (g cm⁻³):	1.1
pH	10
Boiling Point: °C	100
Melting Point (°C):	0

Section 10: STABILITY AND REACTIVITY

Stability:

Stable at room temperature in sealed containers. Discolors on exposure to light.

Incompatibilities:

Alkalis, antimony salts, arsenites, bromides, carbonates, chlorides, iodides, thiocyanates, ferrous salts, phosphates, tannic acid and tartrates.

Conditions to Avoid:

Heat, flame, sources of ignition, light and incompatibles.

Section 11: TOXICOLOGICAL INFORMATION:

Oral rat LD50:	7 g/kg
Tumorigen:	Investigated
Mutagen:	Investigated
Reproductive effector:	Investigated
Eye rabbit:	6 mg, severe

Section 12: ECOLOGICAL INFORMATION

No information available.

Section 13: DISPOSAL CONSIDERATIONS:

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14: TRANSPORT INFORMATION:

Proper Shipping Name:	RQ, SILVER NITRATE
Hazard Class:	5,1
UN/NA:	UN1493
Packing Group:	II
Information reported for product/size:	80 OZ

Section 13: REGULATORY INFORMATION:
--

TSCA:	EC:	Japan:	Australia:	Korea:	Canada
Y	Y	Y	Y	Y	Y

Australian Hazchem Code: 2X
Poison Schedule: S6

Section 14: OTHER INFORMATION

Health:	NFPA Ratings: Flammability:	Reactivity:
4	0	0

Label Hazard Warning: POISON! DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE.

Label Precautions: Keep away from heat, sparks and flame.
Do not get in eyes, on skin, or on clothing.
Do not breathe vapor.
Keep container closed.
Use only with adequate ventilation.
Wash thoroughly after handling.
Physical and health hazard information is available from employer and from material safety data sheets.

Label First Aid: If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. In all cases get medical attention immediately.

Product Use: Commercial mirroring

Data prepared by: M. G. King
Data prepared for: Sarah King – Stained Glass Ltd. d/b/a AngelGilding.com
Telephone: 708-383-3340
Revision date: January 17, 2011

Disclaimer:

Angelgilding.com provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Angelgilding.com. makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Angelgilding.com will not be responsible for damages resulting from use of or reliance upon this information.