

SYNKOLOID CO INC -- WHITING, 660 -- 8030-00N039952

=====
Product Identification
=====

Product ID:WHITING, 660
MSDS Date:12/31/1988
FSC:8030
NIIN:00N039952
MSDS Number: BRJYT
=== Responsible Party ===
Company Name:SYNKOLOID CO INC
Address:148 EAST 5TH
City:BAYONNE
State:NJ
ZIP:07002
Country:US
Info Phone Num:201-437-0770
Emergency Phone Num:201-437-0770
CAGE:SYNKO
=== Contractor Identification ===
Company Name:SYNKOLOID CO
Address:11105 BRIDGE ST
Box:City:SURREY
State:BC
CAGE:0KKF9
Company Name:SYNKOLOID CO INC
Address:148 EASTH 5TH ST
Box:City:BAYONNE
State:NJ
ZIP:07002
Country:US
Phone:201-437-0770
CAGE:SYNKO

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: HYPERSENSITIVE INDIVIDUALS MAY
EXPERIENCE SOME SKIN SENSITIZATION OR IRRITATION.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:CHRONIC: NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH IMMEDIATELY WITH LARGE AMOUNT OF WATER FOR AT
LEAST 15 MINUTES. TAKE TO MD FOR MEDICAL TREATMENT. SKIN: WASH
AFFECTED AREAS WITH SOAP AND WATER FOR AT LEAST 15 MINUTES. CONSULT
MD IF IRRITATION PERSISTS. INGEST: DRINK 1 OR 2 GLASSES OF WATER
TO DILUTE. DO NOT INDUCE VOMITING. CONSULT MD IMMEDIATELY. INHAL:
MOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) .

=====
Fire Fighting Measures
=====

Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRE .
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE ABSORBENT MATERIAL SUCH AS SAND TO PICK UP
EXCESS, WASH AREA WITH SOAP AND WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE CONTAINERS BETWEEN 40 & 100F.
PROTECT FROM FREEZING.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN .
Ventilation:OPEN WINDOW.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:FULL LENGTH CLOTHING TO AVOID PROLONGED &
REPEATED CONTACT.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:<15%

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:OXIDES OF CARBON.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIONS. BEFORE ATTEMPTING CLEAN-UP, REFER TO HAZARD
CAUTION INFORMATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.