

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

5/14/2024

### 1. Identification

#### 1.1. Product identifier

**Product Identity**

**Top Coat Candy Tints - R1020**

**Alternate Names**

Top Coat Candy Tints - R1020

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use**

Commercial mirroring.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name**

Angel Gilding  
1945 Gardner Rd.  
Broadview IL 60155 USA

**Emergency**

**24 hour Emergency Telephone**

708-383-3340

**Customer Service: Angel Gilding**

708-383-3340

### 2. Hazard(s) identification

#### Label elements



**Signal word**

**DANGER**

#### **HAZARD STATEMENTS**

H304 - May be fatal if swallowed and enters airways.

H317 - May cause allergic skin reaction.

H226 - Flammable liquid and vapor.

#### **PRECAUTIONARY STATEMENTS**

P210 - Keep/Store away from heat/sparks/open flames/hot surfaces - No Smoking.

P240 - Ground/bond container and receiving equipment.

P233 - Keep container tightly closed.

P243 - Take precautionary measures against static charge.

P280 - Wear protective gloves/eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301 - Do NOT induce vomiting.

P261 - Avoid breathing mist/sprays.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical attention.

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

5/14/2024

P321 - Specific treatment - see section 4 of this SDS.  
 P370+P378 - In case of fire: Use carbon dioxide, foam or dry chemical fire extinguisher.  
 P363 - Wash contaminated clothing before reuse.  
 P403+P235 - Store in a cool, well-ventilated place, keep cool.  
 P501 - Dispose of contents/container to licensed treatment storage facility

### EFFECTS OF EXPOSURE

Eyes: Irritation upon direct contact.  
 Skin: Irritation and possible dermatitis.  
 Ingestion: Irritation to gastrointestinal tract..  
 Inhalation: Inhalation of high vapor concentrations may cause CNS effects, headache, dizziness

### SYMPTOMS OF OVEREXPOSURE

Eyes: Redness, burning, irritation, and swelling around eyes.  
 Skin: Redness, burning, itching, rash, and scaling of the skin (dermatitis).  
 Ingestion; Nausea and vomiting, severe abdominal pain. Harmful or fatal if ingested.  
 Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing

### ACUTE HEALTH EFFECTS

May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May be harmful if swallowed. Breathing of high vapor concentrations may cause headaches, stupor, irritation of throat and eyes, kidney effects

### CHRONIC HEALTH EFFECTS

May damage the nervous system, kidney and/or liver.

### TARGET ORGANS

Eyes, skin, lungs.

## 3. Composition/information on ingredients

CHEMICAL NAME(S)	CAS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> ) ppm						
			ACGIH		OSHA			NOHSC	
			TLV	STEL	TWA	STEL	IDLH	TWA	STEL
Tert-Butyl Acetate	540-88-5	1-15	200	150	200	NA	1500	200	NF
Parachlorobenzotrifluoride	98-58-6	1-15	NE	NE	NE	NE	NA	NA	NF
Modified Resin	9063-87-0	1-15	NA	NA	NA	NA	NA	NA	NA
Colored Dyes		10 - 70	NA	NA	NA	NA	NA	NA	NA

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found;  
 All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z200.1-2010 format

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

5/14/2024

### 4. First aid measures

#### First Aid:

- Ingestion: DO NOT INDUCE VOMITING. Contact nearest Poison Control Center for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Eyes: If product gets in eyes, flush eyes thoroughly with large amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately
- Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort or a skin reaction occurs, contact a physician. Do not wear contaminated clothing until cleaned
- Inhalation: Remove victim to fresh air at once. Seek immediate medical attention if breathing is difficult

#### Medical Conditions Aggravated by Exposure

Pre-existing dermatitis, other skin conditions, and disorders of the eyes or respiratory system or impaired kidney function may be more susceptible to the effects of this substance.

### 5. Fire-fighting measures

#### Fire and Explosion Hazard

Material is volatile and readily gives off vapors which may travel along the ground or be moved by ventilation and ignited by pilot lights, flames, sparks, heaters, smoking, electric motors, static discharge or other ignition sources at locations near the materials handling point. Never use welding or cutting torch on or near drum (even empty) because material (even just residue) can ignite explosively.

#### Extinguishing Methods

Use dry powder, foam, carbon dioxide.

#### Firefighting Procedures

As with any fire, firefighters should wear appropriate protective equipment including a NIOSH approved or equivalent self-contained breathing apparatus and protective clothing. Fight fires as for surrounding materials. Water may be used to cool containers. If water is used, fog nozzles are preferred.

### 6. Accidental release measures

#### Spills

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate personal protective equipment (PPE). Use safety glasses and face shield, gloves and other protective clothing to prevent skin contact. Insure adequate ventilation. Eliminate all source (flares, flames including pilot lights, electrical sparks). Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind. Absorb spillage with inert material and dispose of in accordance of E.P.A. and other local, state and federal authorities. For waste disposal methods, consult federal, state and local regulations. Place in closed containers. Dispose of product in accordance with these regulations.

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

10/14/2023

### 7. Handling and storage

#### Work and Hygiene Practices

Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame, keep away from sparks. Use only in ventilated areas. Immediately clean up and decontaminate any spills or residues.

#### Storage and Handling:

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans), away from heat and sources of ignition, keep away from sparks. Ground and bond all transfer equipment.

#### Special Precautions:

Empty containers may retain hazardous product residues. Do not reuse empty containers for other purposes.

### 8. Exposure controls and personal protection

#### Ventilation and Engineering Controls:

Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate equipment is available (eye wash station, sink, etc.).

#### Respiratory Protection:

NIOSH/OSHA approved respirator types suitable for materials in section 2 recommended. Approved chemical or mechanical filters recommended when ventilation is restricted. Do not breathe vapors or spray mist. Wear appropriate respirator during and after application unless air monitoring records vapor/mist levels below acceptable limits. Follow manufacturer directions for use.

#### Eye Protection:

Safety glasses with side shields must be used when handling this product. A face shield is also recommended.

#### Hand Protection:

Wear protective, chemical-resistant gloves, (e.g., neoprene) when handling this product.

#### Body Protection:

A chemical resistant apron and protective clothing are recommended when handling or using this product.

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

10/14/2023

### 9. Physical and chemical properties

<b>Appearance:</b>	Colored liquid
<b>Odor:</b>	Solvent odor
<b>Odor Threshold:</b>	N/A
<b>pH:</b>	N/A
<b>Melting and Freezing Point:</b>	N/A
<b>Boiling Point/Range:</b>	111°C - 177°C (231-350°F)
<b>Flashpoint:</b>	25°C (77°F)
<b>Flammability Limits:</b>	No data available
<b>Vapor Pressure:</b>	No data available
<b>Vapor Density:</b>	No data available
<b>VOC:</b>	Negligible
<b>Solubility:</b>	Insoluble in water
<b>Evaporation Rate:</b>	No data available

### 10. Stability and reactivity

**Stability:**

Stable at normal temperatures and pressures.

**Hazardous Decomposition**

Oxides of carbon, hydrocarbons

**Hazardous Polymerization:**

Will not occur

**Conditions to Avoid:**

Excessive heat, shock, friction, buildup of static electricity

**Incompatible Substances:**

Strong oxidizers, bases, acids, reducing agents, metals.

### 11. Toxicological information

**Routes of Entry**

Inhalation, Absorption, Ingestion

**Toxicity Data:**

Tert-butyl Acetate: LD<sub>50</sub> (oral rat) = 2.23 mg/l Parachlorobenzotrifluoride: LD<sub>50</sub> (oral rat) = 2.23 mg/l:  
LD<sub>50</sub> (dermal, rabbit) = 2.7g/kg.

**Acute Toxicity:**

See Section 2 for acute toxicity

**Chronic Toxicity:**

See Section 2 for chronic toxicity

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

10/14/2023

### Suspected Carcinogen:

NA

### Reproductive Toxicity:

This product is not reported to cause problems with fertility or the unborn child.

### Mutagenicity:

This product is not reported to cause mutagenic effects in humans.

### Embryotoxicity:

This product is not reported to cause embryotoxic effects in humans.

### Teratogenicity:

This product is not reported to cause teratogenic effects in humans.

### Irritancy of Product:

See Section 2

### Biological Exposure Indices

NE

### Physician Recommendations

Treat symptomatically

## 12. Ecological information

### Environmental Stability

No data available

### Effects on Plants & Animals

No data available

### Effects on Aquatic Life:

Tert-butyl Acetate: C<sub>50</sub> (pimephales primelaws, 96h)=296-362 mg/l, LC<sub>50</sub> (leuciscus idus mekantus, 48h) = 423 mg/l  
Parachlorobenzotrifluoride: LC<sub>50</sub> (Oncorhynchus mykiss, 96h) = 13.5 mg/l, LC<sub>50</sub> (Lepomis macrochirus, 96H) = 12 mg/l

## 13. Disposal considerations

### Waste Disposal:

Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information.

Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.

### Special Considerations:

NA

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

10/14/2023

### 14. Transport information

	DOT	IMDG	IATA
14.1 UN/ID	UN1263	UN1263	UN1263
14.2 Proper shipping name	PAINT	PAINT	PAINT
14.3 Hazard Class	3	3	3
14.4 Packing Group	III	III	III

### 15. Regulatory information

#### SARA Reporting Requirements:

This product contains Parachlorobenzotrifluoride, a substances subject to SARA Title III, section 313 reporting requirements.

#### SARA Threshold Planning Quantity

NA

#### TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory.

#### Federal and State Regulations:

Tert-Butyl Acetate is found on the following state criteria lists: Right-to-Know List, MA, NJ, PA, RI.

No other ingredients in this product, present in a concentrations of 1.0% or greater, are listed on any of the following state criteria lists: Massachusetts Hazardous Substances List, New Jersey Right-To-Know List, Pennsylvania Hazardous Substances List, and Rhode Island Right-To-Know List.

#### Other Canadian Regulations

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B2(Flammable Liquid).

#### CERCLA Reportable Quantity

Tert-Butyl Acetate:: 5000 lbs.

#### Other Federal Requirements

NAA

#### Other Requirements:

The primary components of this product are listed in Annex 1 of EU Directive 67/548/EEC.

Flammable. Irritating to eyes, respiratory tract and skin. Keep out of reach of children. Keep container tightly closed. Keep container in a well-ventilated place. Keep way from sources of ignition. No smoking. Do not breathe fumes/mists/vapor spray.

# Safety Data Sheet

## Top Coat Candy Tints - R1020

SDS Revision Date:

10/14/2023

### 16. Other information

Other Information: DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIR WAY. Flammable liquid and vapor. May cause allergic skin reaction. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Prepared By  
Revision Date

Angel Gilding Ltd.  
October 14, 2023

#### Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet